

Certificate of Analysis


Product Name: A SECRET MULTI COLLAGEN PLUS VITAMIN

Lot Number: 27062301

Date of Manufacture: 27-06-2023

Expiration Date: 26-06-2025

Test	Item	Specification	Method	Results
Microbiological characteristics	1. Aerobic Plate Count	≤ 20,000 CFU/g	BAM, Chapter 3, January 2001	✓
	2. Yeasts & Molds	≤ 200 CFU/g	BAM, Chapter 18, April 2001	✓
	3. <i>Escherichia coli</i>	< 3 MPN/g	BAM, Chapter 4, October 2020	✓
	4. Coliforms	< 3 MPN/g	BAM, Chapter 4, October 2020	✓
	5. <i>Staphylococcus aureus</i>	< 3 MPN/g	BAM, Chapter 12, March 2016	✓
	6. <i>Staphylococcus aureus</i>	Not Detected per 0.1 g	BAM, Chapter 12, March 2016	✓
	7. <i>Salmonella</i> spp.	Not Detected per 25 g	ISO 6579-1:2017/Amd.1:2020	✓
	8. <i>Clostridium</i> spp.	Not Detected per 0.1 g	USP 43/NF 38:2020	✓
Chemical characteristics	1. Illegal Adulterant			
	Sibutramine	Not Detected	LC-MS QTOF	✓
	Fluoxetine	Not Detected	LC-MS QTOF	✓
	Fenfluramine	Not Detected	LC-MS QTOF	✓
	Bisacodyl	Not Detected	LC-MS QTOF	✓
	Orlistat	Not Detected	LC-MS QTOF	✓
	Sildenafil	Not Detected	LC-MS QTOF	✓
	2. Pesticide			
	Carbamate group	Not Detected	LC-MS QTOF	✓
	Organophosphate group	Not Detected	LC-MS QTOF	✓
	Organochlorine group	Not Detected	LC-MS QTOF	✓
	Pyrethroid group	Not Detected	LC-MS QTOF	✓
	3. Aflatoxin	Not Detected	LC-MS QTOF	✓
	4. Preservative			
	Salicylic acid	Not Detected	LC-MS QTOF	✓
	Ethyl paraben	Not Detected	LC-MS QTOF	✓
	Benzoic acid	Not Detected	LC-MS QTOF	✓



The report apply to the sample as received.

The report shall not be reproduced without the written official approval



Approved by

Tongskit R